

It's time to go electric!

The electric portable compressor range is our latest innovation in compressed air.

A combination of smart engineering, time tested technology and quality components all add up to a solution that is highly energy efficient with extreme versatility. It is suitable for a wide range of applications which will give you low cost of ownership and better environment footprint

Compressor Type		EAIR 450-150	EAIR 400-185	EAIR 500-185	EAIR 750-100	EAIR 600-150
Actual free air delivery	cfm	450	400	500	750	600
Normal effective working pressure	bar/psi	10.5/150	13/185	13/185	7/100	10.5/150
Max. ambient temperature	°C	50	50	50	50	50
Power	kW	90	90	110	110	132
Operating Voltage (+/- 15%)	V	400V/50HZ	400V/50HZ	400V/50HZ	400V/50HZ	400V/50HZ
Dimensions with undercarriage	mm	3840x1680x1740		4232x1950x2170		
Weight	Kgs	1640		2590		
Outlet Valve connection		1×G2 1×G3/4	1×G2 1×G3/4	1×G2 1×G3/4	1×G2 1×G3/4	1×G2 1×G3/4



VERSATILITY

1 machine = Different applications

EASY STARTING

±15% starting voltage

SAFETY
5 pin socket



BROAD CHOICE 5 models

LOW OPERATION COST ~10% Power Consumption

OPTIMUM PERFORMANCEup to **750** cfm & **14** bar

* All claims are under specific conditions





PORTABLE AIR DIVISION

AIR COMPRESSORS

READY TO GO

160-412 7-12 bar



VERSATILITY

400-650 cfm 9-20 bar

PRODUCTIVITY PARTNER

1000-1350 cfm 19-30 bar



INDUSTRY FOCUSED SOLUTIONS

UP to 345 bar



HANDHELD TOOLING



PORTABLE LIGHT TOWERS



Atlas Copco India Ltd.

Reach us: cr.india@atlascopco.com
Toll free number: 1800 120 110030
atlascopco.com/en-in

